



TM

Canada: 3325 North Service Rd, Unit 4, Burlington, ON L7N 3G2
U.S.A: 2215 Kenmore Avenue, Buffalo, NY 14207
Tel: (905) 336-8830 Fax: (905) 336-8873
Toll Free: 1-800-387-4078 Toll Free Fax: 1-888-858-9317
Email: elreg@elreg.com
www.elreg.com

HEAVY DUTY GEAR REDUCTION STARTERS



REPLACES

DELCO 39MT SERIES

MITSUBISHI P-R/D SERIES



Cummins

Freightliner


Detroit Diesel

Prevost

Mercedes

Mack

Motor Coach
Industries



BOSCH





Distributors Ltd.

HEAVY DUTY STARTING & CHARGING SPECIALISTS

HD GEAR REDUCTION STARTERS

39-12110526T:



Starter 12Volt, 11Tooth, CW, 0.66" D.E Mounting Holes, Clocking Position 052 degrees, Type 500 with safety switch & OCP.

Replaces: 10461334, 19011500, 19011505, 19011531, 8200037, 8300020, 1990420, 1990421, 1900483, 1990484, 8200020, 8200163, 8200164, 8300031, 8300032, 10461052, 10461055, 10461096, 10462196, 10479266, MS2-500, MS2-500RM, MS2-502, MS2-503, MS2-503RM, MS2-507, MS2-507RM, MS2-509, MS2-509RM, MS2-511, MS2-511RM, MS2-514, MS2-514RM, MK0077, M9T70077, 39-1211-0526

Used On: MACK ASET E7, MACK

39-12110826T:



Starter 12volt, 11 Tooth, CW, 0.66" D.E Mounting Holes, Clocking Position 082 degrees, Type 500 with safety switch & OCP.

Replaces: 8200040, 10461753, 10461777, 19011506, 19011516, 19011518, 19011529, 19011530, 8200033, 8300019, 1990352, 199035, 199063, 1990420, 1990483, 1990484, 1990489, 1990490, 8200163, 8200164, 8200165, 8200168, 8300031, 8300032, 8300033, 10461052, 10461053, 10461055, 10461075, 10461164, 10461165, 19011516, 8200081, 8200083, 8200090, 8300007, 8300009, 10479062, 19011521, 19011526, 1990421, 10461096, 10461272, MS2-500, MS2-500RM, MS2-502, MS2-503, MS2-503RM, MS2-504, MS2-504RM, MS2-507, MS2-507RM, MS2-509, MS2509RM, MS2-510, MS2-510RM, MS2-511, MS2-511RM, MS2-514, MS2-514RM, PC0779, PC1479, PC0979, VV0977, IN0976, FL0579, M9T70976, M9T70977, M9T70979, 310 3916, 39-1211-0826

Used On: Cummins, ISX/ISM/N14, Volvo VN Series—Freightliner C112/C120, Century Class—CL 121-FLD112/112SD, International Trucks, CAT C9 Acert, CAT C11 Acert, CAT C13 Acert, CAT C15, CAT C15 Acert, CAT C10, CAT C12, Detroit 60 Series

39-12112786T:



Starter 12Volt, 11 Tooth, CW, 0.66" D.E. Mounting Holes, Clocking Position 278 degrees, Type 500 with safety switch & OCP.

Replaces: 8200038, 8200031, 10461755, 8200088, 8300017, 39-1211-2786

Used On: Cummins ISX/ISM, Various Off Road

39-12120823T:



Starter 12Volt, 12 Tooth, CW, 0.53" D.E. Mounting Holes, Clocking Position 082 degrees, Type 500 with safety switch & OCP.

Replaces: 19011517, 19011510, 8200030, 10461757, 8200087, 8300015, 8200082, 8200084, 8300008, 8300013, 10461773, 19011514, 19011525, FL1179, FL0379, M9T70379, M9T71379, 39-1212-0823

Used On : Cummins, ISC/ISL, Various Off Road, Freightliner FL50, 60, 70, 80, FC70, 80, Condor/Mack w/ISL



Canada: 3325 North Service Road, Unit 4, Burlington, Ontario L7N 3G2

U.S.A: 2215 Kenmore Avenue, Buffalo, NY 14207

Tel: (905) 336-8830 Fax: (905) 336-8873 Toll Free: 1-800-387-4078 Toll Free Fax: 1-888-858-9317

Visit Our Web: www.elreg.com E-mail: elreg@elreg.com



Distributors Ltd.

HEAVY DUTY STARTING & CHARGING SPECIALISTS

HD GEAR REDUCTION STARTERS



39-12120826T:

Starter 12Volt, 12 Tooth, CW, 0.66" D.E Mounting Holes, Clocking Position 082 degrees, Type 500 with safety switch & OCP.

Replaces: 10461773, 19011514, 8200084, 8300013, 39-1212-0826

Used On: MBE4000, Freightliner C112/C120 Century Class-CL 121-FLD 112/11250



39-12123083T:

Starter 12Volt, 12Tooth, CW, 0.53" D.E Mounting Holes, Clocking Position 308 degrees, Type 500 with safety switch & OCP.

Replaces: 19011513, 8200028, 10461760, 8300085, 8300012, 39-1212-3083

Used On: Cummins ISC (8.3L)



39-24110826T:

Starter 24Volt, 11 Tooth, CW, 0.66" D.E. Mounting Holes, Clocking Position 082 degrees, Type 500 with safety switch & OCP.

Replaces: 8200041, 10461754, 19011522, 8300018, MC2378, M9T82378, 39-2411-0826

Used On: Cummins ISX/ISM, Various Off Road, CAT C12, CAT C13 Acert, Detroit 60 series



39-24112786T:

Starter 24Volt, 11 Tooth, CW, 0.66" D.E. Mounting Holes, Clocking Position 278 degrees, Type 500 with safety switch & OCP.

Replaces: 8200039, 10461756, 19011509, 19011523, MOO9T82479, 8200034, 8300016, 510752, PV2479, 07-01-1008, 39-2411-2786

Used On : DDC 560, Cummins ISX/ISM, Various Off Road, Detroit 60 Series



Canada: 3325 North Service Road, Unit 4, Burlington, Ontario L7N 3G2

U.S.A: 2215 Kenmore Avenue, Buffalo, NY 14207

Tel: (905) 336-8830 Fax: (905) 336-8873 Toll Free: 1-800-387-4078 Toll Free Fax: 1-888-858-9317

Visit Our Web: www.elreg.com E-mail: elreg@elreg.com

0508



Distributors Ltd.

HEAVY DUTY STARTING & CHARGING SPECIALISTS

HD GEAR REDUCTION STARTERS



39-24120823T:

Starter 24Volt, 12Tooth, CW, 0.53" D.E Mounting Holes, Clocking Position 082 degrees, Type 500 with safety switch & OCP.

Replaces: 820044, 19011512, 10461759, 8200027, 8200086, 8300011, 39-2412-0823

Used On: Cummins ISC (8.3L)



39-24123083T:

Starter 24Volt, 12Tooth, CW, 0.53" D.E Mounting Holes, Clocking Position 308 degrees, Type 500 with safety switch & OCP.

Replaces: 8200043, 10461758, 19011511, 19011524, 8200029, 8300014, 39-2412-3083

Used On: Cummins ISC (8.3L)

MAGNETIC RELAY SWITCHES



206-11414:

Magnetic Relay Switch 12Volt

Replaces: 10511414

Used On: 39-1211-0826, 39-1211-0526, 39-1212-0826, 39-1212-0823, 39-1211-2786, 39-1212-3083, 8200022, 8200037, 8200084, 10461052, 10461334, 10461753, 10461777, 19011500, 19011505, 19011506, 19011514, 19011516, 19011518, 19011529, 19011530, 19011531, 39-11531

*** FOR USE ON ALL HD GEAR REDUCTION STARTERS (SOLD SEPERATELY) ***



206-11415:

Magnetic Relay Switch 24Volt

Replaces: 10511415

Used On: 39-2411-2786, 39-2412-0823, 39-2412-3083, 39-2411-0826, 820044, 8200039, 8200041, 8200043, 10461754, 10461756, 10461758, 10461759, 19011507, 19011509, 19011511, 19011512, 19011522, 19011523, 19011524, M009T82479



Canada: 3325 North Service Road, Unit 4, Burlington, Ontario L7N 3G2

U.S.A: 2215 Kenmore Avenue, Buffalo, NY 14207

Tel: (905) 336-8830 Fax: (905) 336-8873 Toll Free: 1-800-387-4078 Toll Free Fax: 1-888-858-9317

Visit Our Web: www.elreg.com E-mail: elreg@elreg.com



Canada: 3325 North Service Road, Unit 4, Burlington, Ontario L7N 3G2
 U.S.A: 2215 Kenmore Avenue, Buffalo, NY 14207
 Tel: (905) 336-8830 Fax: (905) 336-8873 Toll Free: 1-800-387-4078 Toll Free Fax: 1-888-858-9317
 Visit Our Web: www.elreg.com E-mail: elreg@elreg.com

HD GEAR REDUCTION QUICK REFERENCE CHART

ELREG #	VOLTAGE	PINION TEETH	DIRECTION	MOUNTING HOLE SIZE	CLOCKING	CLOCKING PHOTO
39-12110526T	12	11	CW	0.66"	052 DEGREES	A
39-12110826T	12	11	CW	0.66"	082 DEGREES	B
39-12112786T	12	11	CW	0.66"	278 DEGREES	C
39-12120823T	12	12	CW	0.53"	082 DEGREES	D
39-12120826T	12	12	CW	0.66"	082 DEGREES	B
39-12123083T	12	12	CW	0.53"	308 DEGREES	E
39-24110826T	24	11	CW	0.66"	082 DEGREES	B
39-24112786T	24	11	CW	0.66"	278 DEGREES	C
39-24120823T	24	12	CW	0.53"	082 DEGREES	D
39-2412.3083T	24	12	CW	0.53"	308 DEGREES	E

